



**ADDENDUM NO. 2  
Issued September 10, 2008**

**TO**

**“REQUEST FOR BIDS  
FOR  
ONE MOBILE SHREDDER FOR THE MID-CONNECTICUT  
WASTE PROCESSING FACILITY”  
(RFB Number FY09-OP-001)  
(RFB Issued August 18, 2008)**

**Note:** Bidders are required to acknowledge this and all Addenda in Section 5(a) of the Bid Form.

This Addendum consists of the Connecticut Resources Recovery Authority's (CRRA) addition of a new form to the RFB Package Documents, the revision of two existing forms and changes to the Technical Specifications (**Exhibit A** to the Agreement).

The new form is the Technical Specifications Compliance Form. The new Form has been posted on the CRRA Web Site and a copy of it is attached to this Addendum. Each bidder is required to complete the Form, following the instructions that accompany the Form, and submit the Form as part of its Bid. The Technical Specifications Compliance Form becomes Section 5 of the Bid Package Documents and all subsequent sections are renumbered accordingly.

To accommodate the new Technical Specifications Compliance Form, the Bid Form has been revised to include it in the list of attachments to the Bid Form. The revised Bid Form has been posted on the CRRA Web Site and a copy is attached to this Addendum.

The Bid Price Form has been revised. The revised Bid Price Form has been posted on the CRRA Web Site and a copy of it is attached to this Addendum. The revision requests pricing for options for the mobile shredder. Bidders must use the revised Bid Price Form in preparing and submitting their bids.

**Exhibit A** of the Agreement, "Technical Specifications," has been revised. A copy of the revised exhibit is attached to this Addendum.

**REQUEST FOR BIDS  
FOR  
ONE (1) MOBILE SHREDDER  
FOR THE  
MID-CONNECTICUT WASTE PROCESSING FACILITY**

**SECTION 5  
TECHNICAL SPECIFICATIONS COMPLIANCE  
FORM**



<b>TECHNICAL SPECIFICATIONS COMPLIANCE FORM</b>
---

**MOBILE SHREDDER  
FOR THE  
MID-CONNECTICUT WASTE PROCESSING FACILITY**

On the table on the following pages, each bidder must indicate whether or not the mobile shredder it would provide complies with each of the specified technical specifications. Bidders must mark ("X") in the "Yes" column if their mobile shredder complies with a technical specification or in the "No" column if their mobile shredder does not comply with a technical specification. Additionally, each item shall be initialed by the bidder in the provided column. Failure to comply with this request may cause a bid to be rejected.

Each item marked as not in compliance with a technical specification must be explained on an additional page attached by the bidder and signed.

Category	Specification	Complies		
		Yes	No	Initials
Engine	Minimum 583 net horse power, rated speed 2100 rpm 6 cylinder, liquid cooled, diesel engine.	<input type="checkbox"/>	<input type="checkbox"/>	
	Must meet EPA Tier 3 emissions compliance.	<input type="checkbox"/>	<input type="checkbox"/>	
	Primary and secondary air filters and pre-cleaner.	<input type="checkbox"/>	<input type="checkbox"/>	
	Electronic engine protection and control center access for mechanic to walk thru engine compartment for maintenance.	<input type="checkbox"/>	<input type="checkbox"/>	
	Automatic reversal cooling fan to clean engine radiator.	<input type="checkbox"/>	<input type="checkbox"/>	
	Separate hydraulic oil radiator with reversing cooling fan.	<input type="checkbox"/>	<input type="checkbox"/>	
Controls	The shredder must be remote controlled (fully functional) for all of the unit's operations, including emergency stop.	<input type="checkbox"/>	<input type="checkbox"/>	
Shredding Unit	Double sided hydraulic roller drive with automatic torque sensing, power control and hydraulic overload protection.	<input type="checkbox"/>	<input type="checkbox"/>	
	Pre-selected drum reversal cycle and adjustable drum speed from 0-38 rpm with automatic reversal for cleaning cycle.	<input type="checkbox"/>	<input type="checkbox"/>	
	2 hydraulic displacement pumps.	<input type="checkbox"/>	<input type="checkbox"/>	
	2 hydraulic displacement motors.	<input type="checkbox"/>	<input type="checkbox"/>	
	2 planetary reduction gears.	<input type="checkbox"/>	<input type="checkbox"/>	
	1 drum equipped with hardox wear rings and weldments.	<input type="checkbox"/>	<input type="checkbox"/>	
	Rotor driven on both ends by synchronized motors.	<input type="checkbox"/>	<input type="checkbox"/>	
Shredder	Hydraulic track mounted unit	<input type="checkbox"/>	<input type="checkbox"/>	
	Transport width 9' - 8"	<input type="checkbox"/>	<input type="checkbox"/>	
	Transport height 10' - 6"	<input type="checkbox"/>	<input type="checkbox"/>	
	Transport length 21' - 7"	<input type="checkbox"/>	<input type="checkbox"/>	
	Unit operating weight, 62,000	<input type="checkbox"/>	<input type="checkbox"/>	

Category	Specification	Complies		
		Yes	No	Initials
Input Hopper	Large capacity fixed wall hopper	<input type="checkbox"/>	<input type="checkbox"/>	
	Filling height 9' 7"	<input type="checkbox"/>	<input type="checkbox"/>	
	Minimum Input hopper opening, 9' deep x 12' wide	<input type="checkbox"/>	<input type="checkbox"/>	
	Dust control system - fixed water supply	<input type="checkbox"/>	<input type="checkbox"/>	
	Hopper to be bolted to unit but removable	<input type="checkbox"/>	<input type="checkbox"/>	
Out-Feed Conveyor	Minimum clearance under rotor 40"	<input type="checkbox"/>	<input type="checkbox"/>	
	Out-feed conveyor belt with cleats and automatic reversal.	<input type="checkbox"/>	<input type="checkbox"/>	
	Out-feed conveyor, width 39"	<input type="checkbox"/>	<input type="checkbox"/>	
	High wear/puncture resistant steel cord rubber belt	<input type="checkbox"/>	<input type="checkbox"/>	
Discharge Conveyor	Angle adjustable discharge from 10 - 35 degrees	<input type="checkbox"/>	<input type="checkbox"/>	
	Discharge height between 12' - 14'	<input type="checkbox"/>	<input type="checkbox"/>	
	Discharge conveyor width 39"	<input type="checkbox"/>	<input type="checkbox"/>	
	Angle adjustable using remote control	<input type="checkbox"/>	<input type="checkbox"/>	
Drum Design	Length 9' 8"	<input type="checkbox"/>	<input type="checkbox"/>	
	Diameter 3' 5"	<input type="checkbox"/>	<input type="checkbox"/>	
	Triple sided, triple use reusable cutting tooth design	<input type="checkbox"/>	<input type="checkbox"/>	
	Number of teeth, 30 minimum, slightly overlapping spiral pattern	<input type="checkbox"/>	<input type="checkbox"/>	
	Hydraulically adjustable cutting gap between 1/4" to 5 1/4"	<input type="checkbox"/>	<input type="checkbox"/>	
	Cutting gap adjustable using remote control	<input type="checkbox"/>	<input type="checkbox"/>	
Safety Equipment	Machine must be equipped with back up alarm	<input type="checkbox"/>	<input type="checkbox"/>	
	Minimum three (3) emergency switch "off" buttons	<input type="checkbox"/>	<input type="checkbox"/>	
	Remote control must have emergency off button	<input type="checkbox"/>	<input type="checkbox"/>	

Category	Specification	Complies		
		Yes	No	Initials
Fire Suppressant Equipment	Fire extinguisher mounted for easy access	<input type="checkbox"/>	<input type="checkbox"/>	
Additional Requirements	Two extra complete sets of teeth, nuts, bolts to be included in bid pricing.	<input type="checkbox"/>	<input type="checkbox"/>	
Training	Minimum of 5 days training to be provided.	<input type="checkbox"/>	<input type="checkbox"/>	
Rebuild Capacity	Bidder shall have the ability to perform a complete machine rebuild that is certified by the manufacturer.	<input type="checkbox"/>	<input type="checkbox"/>	
	Specify hours before rebuild is due.	_____		
Warranty	Minimum 1 year (or 2000 hours) whichever comes first	<input type="checkbox"/>	<input type="checkbox"/>	
Manuals	Three (3) operating and three (3) service manuals to be provided by supplier. Include all standard features not directly specified which the manufacturer normally offers as standard equipment and quote in the base price.	<input type="checkbox"/>	<input type="checkbox"/>	
Parts Supply	Ability to supply 98% of parts within a 24-hour period.	<input type="checkbox"/>	<input type="checkbox"/>	
<b>SEPARATE OPTIONS</b>				
Shredder Diagnostic Information	The ability to remotely read critical machine functions and diagnostics including hours, fault codes, etc. with cell phone	<input type="checkbox"/>	<input type="checkbox"/>	
Rubber Pads	Rubber pads for steel tracks system	<input type="checkbox"/>	<input type="checkbox"/>	

**REQUEST FOR BIDS  
FOR  
ONE (1) MOBILE SHREDDER  
FOR THE  
MID-CONNECTICUT WASTE PROCESSING FACILITY**

**SECTION 4  
BID FORM  
(Revised)**





**BID FORM**

**PROJECT:** Mid-Connecticut  
**RFB NUMBER:** FY09-OP-001  
**CONTRACT FOR:** Mobile Shredder For The Mid-Connecticut Waste Processing Facility  
**BID SUBMITTED TO:** Connecticut Resources Recovery Authority  
100 Constitution Plaza, 6<sup>th</sup> Floor  
Hartford, Connecticut 06103-1722

**1. DEFINITIONS**

Unless otherwise defined herein, all terms that are not defined and used in this Bid Form (a "Bid") shall have the same respective meanings assigned to such terms in the Contract Documents.

**2. TERMS AND CONDITIONS**

The undersigned (the "Bidder") accepts and agrees to all terms and conditions of the Request For Bids, Instructions To Bidders, the Agreement and any Addenda to any such documents. This Bid shall remain open and subject to acceptance for ninety (90) days after the bid due date.

If CRRA issues a Notice Of Award to Bidder, Bidder shall within ten (10) days after the date thereof:

- (a) Execute and deliver to CRRA the required number of counterparts of the non-negotiable Agreement;
- (b) Execute and deliver to CRRA the Contractor's Certification Concerning Gifts;
- (c) Execute and deliver to CRRA all other Contract Documents attached to the Notice Of Award along with any other documents required by the Contract Documents; and
- (d) Satisfy all other conditions of the Notice Of Award.

**3. BIDDER'S OBLIGATIONS**

Bidder proposes and agrees, if this Bid is accepted by CRRA and CRRA issues a Notice Of Award to Bidder, to the following:

- (a) To perform, furnish and complete all the Work as specified or indicated in the Contract Documents and Agreement for the Bid Price and within the Contract Time set forth in this Bid and in accordance with the terms and conditions of the Contract Documents and Agreement; and
- (b) At the request of CRRA and if the successful Bidder qualifies, to apply with the State of Connecticut Department Administrative Services, and do all that is necessary to make itself qualify, as a Small Contractor and/or Minority/Women/Disabled Person Business Enterprise in accordance with Section 4a-60g of the *Connecticut General Statutes*.

**4. BIDDER'S REPRESENTATIONS CONCERNING NON-NEGOTIABILITY OF THE AGREEMENT**

In submitting this Bid, Bidder acknowledges and agrees that the terms and conditions of the Agreement (including all Exhibits thereto), as included in the RFB, are non-negotiable, and Bidder is willing to and shall, if CRRA accepts its Bid for the Work and issues a Notice Of Award to Bidder, execute such Agreement. However, CRRA reserves the right to negotiate with Bidder over Bidder's price for the Work submitted on its Bid Price Form.

**5. BIDDER'S REPRESENTATIONS CONCERNING EXAMINATION OF CONTRACT DOCUMENTS**

In submitting this Bid, Bidder represents that:

- (a) Bidder has thoroughly examined and carefully studied the RFB Package Documents and the following Addenda, receipt of which is hereby acknowledged (list Addenda by Addendum number and date):

Addendum Number	Date Issued

- (b) Without exception the Bid is premised upon performing, furnishing and completing the Work required by the Contract Documents and applying the

specific means, methods, techniques, sequences or procedures (if any) that may be shown, indicated or expressly required by the Contract Documents;

- (c) Bidder is fully informed and is satisfied as to all Laws And Regulations that may affect cost, progress, performance, furnishing and/or completion of the Work;
- (d) Bidder has studied and carefully correlated Bidder's knowledge and observations with the Contract Documents and such other related data;
- (e) Bidder has given CRRA written notice of all conflicts, errors, ambiguities and discrepancies that Bidder has discovered in the Contract Documents and the written resolutions thereof by CRRA are acceptable to Bidder;
- (f) If Bidder has failed to promptly notify CRRA of all conflicts, errors, ambiguities and discrepancies that Bidder has discovered in the Contract Documents, such failure shall be deemed by both Bidder and CRRA to be a waiver to assert these issues and claims in the future;
- (g) Bidder is aware of the general nature of work to be performed by CRRA and others that relates to the Work for which this Bid is submitted; and
- (h) The Contract Documents are generally sufficient to indicate and convey understanding by Bidder of all terms and conditions for performing, furnishing and completing the Work for which this Bid is submitted.

## **6. BIDDER'S REPRESENTATIONS CONCERNING SITE CONDITIONS**

In submitting this Bid, Bidder acknowledges and agrees that:

- (a) All information and data included in the RFB Package Documents relating to the surface, subsurface and other conditions of the Site are from presently available sources and are being provided only for the information and convenience of the bidders;
- (b) CRRA does not assume any responsibility for the accuracy or completeness of such information and data, if any, shown or indicated in the Contract Documents with respect to any surface, subsurface or other conditions of the Site(s);
- (c) Bidder is solely responsible for investigating and satisfying itself as to all actual and existing Site conditions, including surface conditions, subsurface conditions and underground facilities; and
- (d) Bidder has visited the Site and has become familiar with and is satisfied as to the general, local, and site conditions that may affect cost, progress, performance, furnishing and completion of the Work.

**7. BIDDER'S REPRESENTATIONS CONCERNING INFORMATION MADE AVAILABLE**

In submitting this Bid, Bidder acknowledges and agrees that Bidder shall not use any information made available to it or obtained in any examination made by it in connection with this RFB in any manner as a basis or grounds for a claim or demand of any nature against CRRA arising from or by reason of any variance which may exist between information offered or so obtained and the actual materials, conditions, or structures encountered during performance of any of the Work.

**8. BIDDER'S REPRESENTATIONS CONCERNING STATE OF CONNECTICUT TAXES**

In submitting this Bid, Bidder acknowledges and agrees that CRRA is exempt from all State of Connecticut taxes and assessments, including sales and use taxes. Accordingly, Bidder shall not charge CRRA any State of Connecticut taxes or assessments at any time in connection with Bidder's performance of this Agreement, nor shall Bidder include any State of Connecticut taxes or assessments in any rates, costs, prices or other charges to CRRA hereunder. Bidder represents and warrants that no State of Connecticut taxes or assessments were included in any rates, costs, prices or other charges presented to CRRA in any bid or other submittal to CRRA in connection with this RFB.

**9. BIDDER'S REPRESENTATIONS CONCERNING DISCLOSURE OF INFORMATION**

In submitting this Bid, Bidder:

- (a) Recognizes and agrees that CRRA is subject to the Freedom of Information provisions of the *Connecticut General Statutes* and, as such, any information contained in or submitted with or in connection with Bidder's Bid is subject to disclosure if required by law or otherwise; and
- (b) Expressly waives any claim(s) that Bidder or any of its successors and/or assigns has or may have against CRRA or any of its directors, officers, employees or authorized agents as a result of any such disclosure.

**10. BIDDER'S REPRESENTATIONS CONCERNING NON-COLLUSION**

By submission of this Bid, the Bidder, together with any affiliates or related persons, the guarantor, if any, and any joint ventures, hereby represents that, under risk of termination of the Agreement, if awarded, to the best of its knowledge and belief:

- (a) The prices in the Bid have been arrived at as the result of an independent business judgment without collusion, consultation, communication, agreement or otherwise for the purpose of restricting competition, as to any matter relating to such prices and any other person or company;

- (b) Unless otherwise required by law, the prices that have been quoted in this Bid have not, directly or indirectly, been knowingly disclosed by the Bidder prior to “opening” to any other person or company;
- (c) No attempt has been made or will be made by the Bidder to induce any other person, partnership or corporation to submit, or not to submit, a bid for the purpose of restricting competition;
- (d) Bidder has not directly or indirectly induced or solicited any other bidder to submit a false or sham bid; and
- (e) Bidder has not sought by collusion to obtain for itself any advantage for the Work over any other bidder for the Work or over CRRA.

#### **11. BIDDER’S REPRESENTATIONS CONCERNING RFB FORMS**

By submission of this Bid, the Bidder, together with any affiliates or related business entities or persons, the guarantor, if any, and any joint ventures, hereby represents that, under risk of termination of the Agreement, if awarded, all of the forms included in the RFB that are submitted to CRRA as part of its Bid are identical in form and content to the preprinted forms in the RFB Package Documents except that information requested by the forms has been inserted in the spaces on the forms provided for the insertion of such requested information.

#### **12. BID SECURITY**

Bidder acknowledges and agrees that the amount of the Bid Security submitted with this Bid fairly and reasonably represents the amount of damages CRRA will suffer in the event that Bidder fails to fulfill any of its obligations set forth in the Contract Documents.

#### **13. BIDDER’S WAIVER OF DAMAGES**

Bidder and all its affiliates and subsidiaries understand that by submitting a Bid, Bidder is acting at its and their own risk and Bidder does for itself and all its affiliates, subsidiaries, successors and assigns hereby waive any rights any of them may have to receive any damages for any liability, claim, loss or injury resulting from:

- (a) Any action or inaction on the part of CRRA or any of its directors, officers, employees or authorized agents concerning the evaluation, selection, non-selection and/or rejection of any or all bids by CRRA or any of its directors, officers, employees or authorized agents;
- (b) Any agreement entered into for the Work (or any part thereof) described in the Contract Documents; and/or
- (c) Any award or non-award of a contract for the Work (or any part thereof) pursuant to the Contract Documents.

**14. BIDDER'S REPRESENTATION REGARDING THE CONNECTICUT CAMPAIGN CONTRIBUTION AND SOLICITATION BAN**

With regard to a State contract as defined in P.A. 07-1 having a value in a calendar year of \$50,000 or more or a combination or series of such agreement or contracts having a value of \$100,000 or more, the authorized signatory to this submission in response to CRRA's solicitation expressly acknowledges receipt of the State Elections Enforcement Commission's notice advising prospective state contractors of state campaign contribution and solicitation prohibitions, and will inform its principals of the contents of the notice. See Section 9 [SEEC Form 11] of the Contract Documents.

**15. ATTACHMENTS**

The following documents are attached hereto and made a part of this Bid:

- (a) The completed Technical Specifications Compliance Form;
- (b) The completed Bid Price And Delivery Timeframe Form;
- (c) The completed References Form;
- (d) The completed Background And Experience Form;
- (e) Certification Concerning Nondiscrimination that has been completely filled out and signed by Bidder, with the Bidder's nondiscrimination policies and procedures attached; and
- (f) A copy of the Bidder's up-to-date certificate of insurance showing all current insurance coverage.

**16. NOTICES**

Communications concerning this Bid should be addressed to Bidder at the address set forth below.

Bidder Name:	
Bidder Contact:	
Title:	
Address:	
Telephone Number:	
Fax Number:	
E-Mail Address:	

**17. ADDITIONAL REPRESENTATION**

Bidder hereby represents that the undersigned is duly authorized to submit this Bid on behalf of Bidder.

**AGREED TO AND SUBMITTED ON** \_\_\_\_\_, 2008

Name of Bidder (Firm):	
Signature of Bidder Representative:	
Name (Typed/Printed):	
Title (Typed/Printed):	

**REQUEST FOR BIDS  
FOR  
ONE (1) MOBILE SHREDDER  
FOR THE  
MID-CONNECTICUT WASTE PROCESSING FACILITY**

**SECTION 6  
BID PRICE AND DELIVERY TIMEFRAME FORM  
(Revised)**





# BID PRICE AND DELIVERY TIMEFRAME FORM

## MOBILE SHREDDER FOR THE MID-CONNECTICUT WASTE PROCESSING FACILITY (RFB Number 09-OP-001)

### 1. Bid Price

Bidder will complete the Work as specified in the Contract Documents for the Mobile Shredder for the Mid-Connecticut Waste Processing Facility for the following lump sum bid price (please use table below). Bidder must provide a full delivered price including all options F.O.B. Hartford, Connecticut. Bidder must include in the bid price all standard features not directly specified in the Technical Specification Compliance Form that the manufacturer normally offers as standard equipment.

Total Lump Sum Bid Price (Without Options Specified Below)	
Dollars	Cents
(Use Numbers)	

(Use Words)

Bidder will provide, at CRRA's sole and absolute discretion, a Diagnostic Information Option that provides the ability to remotely read critical machine functions and diagnostics including hours, fault codes, etc. with a cell phone for the following lump sum bid price (please use table below).

Diagnostic Information Option Lump Sum Bid Price	
Dollars	Cents
(Use Numbers)	

(Use Words)

Bidder will provide, at CRRA's sole and absolute discretion, a Rubber Pads Option that provides rubber pads for the steel tracks system for the following lump sum bid price (please use table below).

Rubber Pads Option Lump Sum Bid Price	
Dollars	Cents
(Use Numbers)	

(Use Words)

On a separate sheet of paper, each bidder must provide OEM and component manufacturer warranty allowable limits.

Bidder affirms that the total bid prices above represent the entire cost to complete the Work in accordance with the Contract Documents, and that no claim will be made on account of any "overruns" (e.g., increase in wage scales, material prices, delivery delays, taxes, insurance, cost indexes or any other rates affecting the construction industry or this Project, etc.), and that each and every such claim is hereby expressly waived by Bidder.

Name of Bidder (Firm):	
Signature of Bidder Representative:	
Name (Type/Print):	
Title:	
Date:	

## 2. Delivery Timeframe

From the date the successful Bidder receives the Notice To Proceed with the Work, the successful Bidder shall complete the manufacture and deliver the Mobile Shredder to the Waste Processing Facility within the following number of days:

	Days
--	------

**EXHIBIT A**

**To**

**MOBILE SHREDDER PURCHASE AGREEMENT**

**TECHNICAL SPECIFICATIONS**

**(Revised)**

## **TECHNICAL SPECIFICATIONS**

### **MOBILE SHREDDER FOR THE MID-CONNECTICUT WASTE PROCESSING FACILITY**

Seller shall include all standard features not directly specified in this Technical Specifications that the manufacturer normally offers as standard equipment. A Certificate of Origin shall be furnished for each unit supplied under this contract.

[Pages 2 through 4 of the successful bidder's Technical Specifications Compliance Form (Section 6 of the RFB Package Documents), as submitted by the successful bidder as part of its bid, will be inserted to replace the following pages 2 through 4.]

Category	Specification	Complies		
		Yes	No	Initials
Engine	Minimum 583 net horse power, rated speed 2100 rpm 6 cylinder, liquid cooled, diesel engine.	<input type="checkbox"/>	<input type="checkbox"/>	
	Must meet EPA Tier 3 emissions compliance.	<input type="checkbox"/>	<input type="checkbox"/>	
	Primary and secondary air filters and pre-cleaner.	<input type="checkbox"/>	<input type="checkbox"/>	
	Electronic engine protection and control center access for mechanic to walk thru engine compartment for maintenance.	<input type="checkbox"/>	<input type="checkbox"/>	
	Automatic reversal cooling fan to clean engine radiator.	<input type="checkbox"/>	<input type="checkbox"/>	
	Separate hydraulic oil radiator with reversing cooling fan.	<input type="checkbox"/>	<input type="checkbox"/>	
Controls	The shredder must be remote controlled (fully functional) for all of the unit's operations, including emergency stop.	<input type="checkbox"/>	<input type="checkbox"/>	
Shredding Unit	Double sided hydraulic roller drive with automatic torque sensing, power control and hydraulic overload protection.	<input type="checkbox"/>	<input type="checkbox"/>	
	Pre-selected drum reversal cycle and adjustable drum speed from 0-38 rpm with automatic reversal for cleaning cycle.	<input type="checkbox"/>	<input type="checkbox"/>	
	2 hydraulic displacement pumps.	<input type="checkbox"/>	<input type="checkbox"/>	
	2 hydraulic displacement motors.	<input type="checkbox"/>	<input type="checkbox"/>	
	2 planetary reduction gears.	<input type="checkbox"/>	<input type="checkbox"/>	
	1 drum equipped with hardox wear rings and weldments.	<input type="checkbox"/>	<input type="checkbox"/>	
	Rotor driven on both ends by synchronized motors.	<input type="checkbox"/>	<input type="checkbox"/>	
Shredder	Hydraulic track mounted unit	<input type="checkbox"/>	<input type="checkbox"/>	
	Transport width 9' - 8"	<input type="checkbox"/>	<input type="checkbox"/>	
	Transport height 10' - 6"	<input type="checkbox"/>	<input type="checkbox"/>	
	Transport length 21' - 7"	<input type="checkbox"/>	<input type="checkbox"/>	
	Unit operating weight, 62,000	<input type="checkbox"/>	<input type="checkbox"/>	

Category	Specification	Complies		
		Yes	No	Initials
Input Hopper	Large capacity fixed wall hopper	<input type="checkbox"/>	<input type="checkbox"/>	
	Filling height 9' 7"	<input type="checkbox"/>	<input type="checkbox"/>	
	Minimum Input hopper opening, 9' deep x 12' wide	<input type="checkbox"/>	<input type="checkbox"/>	
	Dust control system - fixed water supply	<input type="checkbox"/>	<input type="checkbox"/>	
	Hopper to be bolted to unit but removable	<input type="checkbox"/>	<input type="checkbox"/>	
Out-Feed Conveyor	Minimum clearance under rotor 40"	<input type="checkbox"/>	<input type="checkbox"/>	
	Out-feed conveyor belt with cleats and automatic reversal.	<input type="checkbox"/>	<input type="checkbox"/>	
	Out-feed conveyor, width 39"	<input type="checkbox"/>	<input type="checkbox"/>	
	High wear/puncture resistant steel cord rubber belt	<input type="checkbox"/>	<input type="checkbox"/>	
Discharge Conveyor	Angle adjustable discharge from 10 - 35 degrees	<input type="checkbox"/>	<input type="checkbox"/>	
	Discharge height between 12' - 14'	<input type="checkbox"/>	<input type="checkbox"/>	
	Discharge conveyor width 39"	<input type="checkbox"/>	<input type="checkbox"/>	
	Angle adjustable using remote control	<input type="checkbox"/>	<input type="checkbox"/>	
Drum Design	Length 9' 8"	<input type="checkbox"/>	<input type="checkbox"/>	
	Diameter 3' 5"	<input type="checkbox"/>	<input type="checkbox"/>	
	Triple sided, triple use reusable cutting tooth design	<input type="checkbox"/>	<input type="checkbox"/>	
	Number of teeth, 30 minimum, slightly overlapping spiral pattern	<input type="checkbox"/>	<input type="checkbox"/>	
	Hydraulically adjustable cutting gap between 1/4" to 5 1/4"	<input type="checkbox"/>	<input type="checkbox"/>	
	Cutting gap adjustable using remote control	<input type="checkbox"/>	<input type="checkbox"/>	
Safety Equipment	Machine must be equipped with back up alarm	<input type="checkbox"/>	<input type="checkbox"/>	
	Minimum three (3) emergency switch "off" buttons	<input type="checkbox"/>	<input type="checkbox"/>	
	Remote control must have emergency off button	<input type="checkbox"/>	<input type="checkbox"/>	

Category	Specification	Complies		
		Yes	No	Initials
Fire Suppressant Equipment	Fire extinguisher mounted for easy access	<input type="checkbox"/>	<input type="checkbox"/>	
Additional Requirements	Two extra complete sets of teeth, nuts, bolts to be included in bid pricing.	<input type="checkbox"/>	<input type="checkbox"/>	
Training	Minimum of 5 days training to be provided.	<input type="checkbox"/>	<input type="checkbox"/>	
Rebuild Capacity	Bidder shall have the ability to perform a complete machine rebuild that is certified by the manufacturer.	<input type="checkbox"/>	<input type="checkbox"/>	
	Specify hours before rebuild is due.	_____		
Warranty	Minimum 1 year (or 2000 hours) whichever comes first	<input type="checkbox"/>	<input type="checkbox"/>	
Manuals	Three (3) operating and three (3) service manuals to be provided by supplier. Include all standard features not directly specified which the manufacturer normally offers as standard equipment and quote in the base price.	<input type="checkbox"/>	<input type="checkbox"/>	
Parts Supply	Ability to supply 98% of parts within a 24-hour period.	<input type="checkbox"/>	<input type="checkbox"/>	
<b>SEPARATE OPTIONS</b>				
Shredder Diagnostic Information	The ability to remotely read critical machine functions and diagnostics including hours, fault codes, etc. with cell phone	<input type="checkbox"/>	<input type="checkbox"/>	
Rubber Pads	Rubber pads for steel tracks system	<input type="checkbox"/>	<input type="checkbox"/>	